



**Albi Manufacturing**

Division of StanChem, Inc

401 Berlin Street

East Berlin, CT 06023

Emergency Telephone Number: CHEMTREC 1-800-424-9300

Information Telephone Number: 860-828-0571

Date of Preparation: 3/2/2015

**Section I – Product Identification**

**Product Number:** 16x0034  
**Product Name:** Albi Clad TF Trowel Grade  
**Product Class:** Thin Film Mastic

**Section II – Hazard Identification**

**Hazard Pictogram:**



**Signal Word:** Warning

**Hazard Statements:** May be harmful if swallowed  
Causes mild skin irritation  
Causes eye irritation  
May cause respiratory irritation

**Section III-Hazardous Ingredients**

NE – Not Established      N/A – Not Applicable

Ingredient	Percent Wt.	Occupational Exposure Limits					Vapor Pressure @20°C (mmHg)
		ACGIH TLV (mg/m <sup>3</sup> )	OSHA TWA (mg/m <sup>3</sup> )	OSHA STEL (ppm)	Ceiling (ppm)	Skin	
Titanium Dioxide CAS#13463-67-7	<5.0%	10	10	NE	NE	NE	N/A

**Section IV – First Aid Measures**

**First Aid Procedures:**

**Inhalation:** Remove individual to fresh air. Call a physician.

**Skin:** Wash thoroughly with soap and water. Remove contaminated clothing

**Eyes:** Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists consult a physician.

**Ingestion:** Dilute with clear fluid, then immediately call a Physician or the Poison Control Center.

---



---

**Section V – Fire and Explosion Hazard Data**


---

**Flammability Classification:**

OSHA	Not flammable
DOT	Not flammable
Flash Point	N/A
LEL	N/A

**Extinguishing Media:**      Foam    Alcohol Foam    CO<sub>2</sub>    Dry Chemical    Fog

**Unusual Fire and Explosion Hazards:**      N/A

---

**Section VI – Accidental Release Measures**

**Steps to be Taken in Case Material is Released or Spilled**      Contain and remove with inert absorbent

---

**Section VII – Safe Handling and Storage**

**Handling:**      Empty containers may contain product residue; follow MSDS and label warnings even after the container has been emptied.

**Storage:**      Keep from freezing

---

**Section VIII – Exposure Controls and Personal Protection**

**Respiratory Protection:**      Use approved mechanical filters designed to remove airborne particulate.

**Ventilation:**      Local exhaust as required by job conditions to keep TLV below acceptable limits. Refer to OSHA regulations 29 CFR Part 1910.94.

**Protective Gloves:**      Recommended

**Eye Protection:**      Use safety eyewear with splash guards or side shields

**Other Protective Equipment:**      Wear protective clothing

**Hygienic Practices:**      Eye wash should be available. Use under well ventilated conditions. Personnel should wash thoroughly after handling product. Always wash-up before eating, smoking or using the toilet facilities.

**Other Precautions:**      Avoid contact with eyes and skin

---

**Section IX – Physical Data**

Boiling Point	212 F
Weight per Gallon	11.2-11.8 lb./gal
Percent Volatility	25.0 – 27.0 %
Solids	73.0-75.0%
VOC content:	15.6 g/L
pH	7.5-8.5

---

Section X – Stability and Reactivity

---

<u>Stability:</u>	Stable
<u>Hazardous Polymerization:</u>	Will Not Occur
<u>Hazardous Decomposition Products:</u>	Combustion may produce carbon dioxide and/or carbon monoxide.
<u>Conditions To Avoid:</u>	N/A
<u>Incompatibility [Materials to avoid]:</u>	Strong oxidizing agents

---

Section XI – Toxicological Information

---

Primary Routes of Exposure

Skin Contact

Inhalation

<u>Medical Conditions Prone to Aggravation by Exposure:</u>	Sinus	Dermatitis
---	-------	------------

Product Toxicology

<u>Carcinogenicity:</u>	NTP?	No
	IARC Monographs?	No
	OSHA Regulated?	No

---

Section XII – Ecological Information

---

Potential to Bioaccumulate: UnknownAquatic Toxicity: No data available for this product
Section XIII – Disposal Considerations

---

Waste Disposal Methods:

Disposal should be in accordance with local, state and federal regulations.

Section XIV – Transportation

---

<u>Proper Shipping Name:</u>	Latex Paint
<u>Technical Name:</u>	Albi Clad TF Trowel Grade
<u>Identification Number:</u>	Not Regulated
<u>Hazard Class/Division:</u>	NA
<u>Packing Group:</u>	NA

The information provided herein may not include the impact of additional regulatory requirements (e.g. for materials meeting the definition of a hazardous waste under RCRA, hazardous substances under CERCLA, and/or marine pollutants under CWA or other similar federal, state or local laws) or any associated exceptions or exemptions under regulations applicable to the transport of this material.

Section XV – Regulatory Information

---

TSCA

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

**Section XVI – Other Information**

Hazard Rating Systems

<u>NFPA 704*</u>		<u>HMIS**</u>		<b>Key:</b>	<b>0 - Insignificant;</b>
<b>Health:</b>	<b>1</b>	<b>Health:</b>	<b>1</b>	<b>1=Slight</b>	<b>2 = Moderate;</b>
<b>Flammability</b>	<b>0</b>	<b>Flammability</b>	<b>0</b>	<b>3=High</b>	<b>4= Extreme;</b>
<b>Reactivity</b>	<b>0</b>	<b>Reactivity</b>	<b>0</b>	<b>E= Eye Protection and gloves, dust mask</b>	
		<b>Personal Protection</b>	<b>E</b>		

\*National Fire Protection Association rating identifies the severity of hazards of material during a fire emergency (i.e., “on fire”)

\*\*Hazardous Materials Identification System, National Paint and Coatings Association rating applies to product “as packaged” (i.e., ambient temperature)

**NOTICE**

**This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of StanChem's knowledge or obtained from sources believed by StanChem to be accurate. StanChem does not assume any legal responsibility for use or reliance upon same information. Customers are encouraged to conduct their own tests. For additional technical information contact StanChem.**