

# 1. Identification

Product identifier	Albi Protective Coatings Clad TB – White
Other means of identification	Intumescent coating.
Recommended use	Refer to manufacturer sell sheet and technical data sheet.
Recommended restrictions	Refer to manufacturer technical data sheet.
Manufacturer name	Albi Protective Coatings
Address	1255 High Street, Suite 200 Wadsworth, Ohio 44281
Country	USA
Phone	800-989-8577
Fax	330-336-5800
E-mail	info@Albi.com
Website	www.Albi.com

# 2. Hazard(s) identification

_ ·			
Emergency overview	Not classified as ha	azardous according to OSHA HCS.	
Classification	Not classified.		
Hazard symbol	No symbol.		
Signal word	No signal word.		
Potential health effects			
Inhalation	Short-term exposu	re may cause irritation of nose, throat an	d lungs.
Eyes/skin	Short-term exposu	re may cause irritation to eyes or skin.	
Ingestion	Ingestion may caus	se stomach irritation and/or nausea.	
Environmental hazards	No known significa	nt environmental effects.	
NFPA/HMIS classification	Health:	1	1 HEALTH
	Flammability:		0 FLAMMABILITY
	Reactivity:	0	
	0-Least, 1-Slight, 2	P-Moderate, 4-Extreme	

# 3. Composition/information on ingredients

Chemical name	CAS number	Percent
Trade secret per 29 CFR 1910.1200	-	-



#### 4. First-aid measures

Inhalation	Remove person to fresh air. If necessary, give artificial respiration or CPR.
Skin contact	Wash skin with soap and water. Launder clothing before reuse.
Eye contact	Immediately flush with gentle stream of tepid water for 15 minutes. Get medical attention if necessary.
Ingestion	Do not induce vomiting. Keep warm and at rest. Give 2-3 glasses of water. Get medical attention if necessary.

# 5. Fire-fighting measures

Suitable extinguishing media	Carbon dioxide, dry chemical, foam, water spray.
Unsuitable extinguishing media	None.
Specific hazards arising from the substance or mixture	None.
Special protective equipment and precautions for fire-fighters	Wear powered air-purifying respirator (PAPR) or supplied-air respirator (SAR).

Personnel precautions	None.
Environmental precautions	Avoid runoff into storm sewers, ditches, and waterways.
Cleanup measures	Spills should be contained, solidified, and placed in suitable containers for disposal. Wash exposed skin with soap and water.

# 7. Handling and storage

Precautions for safe handling	Avoid breathing mist. Avoid prolonged skin contact.
Engineering controls	Use local exhaust ventilation if sprayed inside. Otherwise, general ventilation is adequate.
Conditions for safe storage	Store in original sealed containers, upright, and in a cool, dry location away from light and strong frost.
Storage temperature	Minimum: 40°F (4°C) Maximum: 90°F (32°C).
Shelf life	12 months from date of manufacture.

## 8. Exposure controls/personal protection

Exposure controls	Use appropriate engineering controls such as proper ventilation. Where such systems are not effective, wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards.
Personal protective equipment Eye/face protection	Wear goggles to avoid overspray and splashing. Eye and face protection should be in accordance with OSHA 29 CFR 1910.133.
Hand/arm protection	Rubber or plastic gloves are recommended.
Respiratory protection	If sprayed, wear an air-purifying respirator approved by NIOSH in accordance with OSHA 29 CFR 1910.134(d)(1)(ii). If used in a confined area, a full-face, powered air-purifying respirator (PAPR) or supplied-air respirator (SAR) is recommended. Use respirators in accordance with 29 CFR 1910.134(d)(3)(i)(A) Table 1, 29 CFR 1910.134(d)(3)(iii)(B) and 29 CFR 1910.134(d)(3)(iv)(B).



# 9. Physical and chemical properties

Appearance Physical state	Liquid.
Color	White.
Odor	Little to no odor.
Odor threshold	Not applicable.
рН	7-8.
% volatile by vol	33%.
Freezing point	32° F (0°C).
Boiling point	212° F (100°C).
Specific gravity	1.25.
Evaporation rate	Not applicable.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
VOC Content	18 g/L (EPA Method 24).
VOC Emissions	18 g/L (EPA Method 24). >0.5 − 4.9 mg/M <sup>3</sup> .
VOC Emissions 0. Stability and reactivity Reactivity Chemical stability	>0.5 – 4.9 mg/M <sup>3</sup> . Not reactive (no special reactivity). Stable under normal conditions.
VOC Emissions 0. Stability and reactivity Reactivity	>0.5 – 4.9 mg/M <sup>3</sup> . Not reactive (no special reactivity).
VOC Emissions 0. Stability and reactivity Reactivity Chemical stability Incompatible materials Decomposition materials	>0.5 – 4.9 mg/M <sup>3</sup> . Not reactive (no special reactivity). Stable under normal conditions. Strong oxidizers.
VOC Emissions 0. Stability and reactivity Reactivity Chemical stability Incompatible materials Decomposition materials	>0.5 – 4.9 mg/M <sup>3</sup> . Not reactive (no special reactivity). Stable under normal conditions. Strong oxidizers. carbon dioxide, carbon monoxide.
VOC Emissions 0. Stability and reactivity Reactivity Chemical stability Incompatible materials Decomposition materials 1. Toxicological information	>0.5 – 4.9 mg/M <sup>3</sup> . Not reactive (no special reactivity). Stable under normal conditions. Strong oxidizers.
VOC Emissions 0. Stability and reactivity Reactivity Chemical stability Incompatible materials Decomposition materials 1. Toxicological information Acute toxicity Potential health effects	>0.5 – 4.9 mg/M <sup>3</sup> . Not reactive (no special reactivity). Stable under normal conditions. Strong oxidizers. carbon dioxide, carbon monoxide. Toxicity testing of Clad TB formula components indicates very low oral toxicity or skin/eye irritation

# EcotoxicityNo data available.Persistence and degradabilityNo data available.Bioaccumulative potentialNo data available.Mobility in soilNo data available.

Other adverse effects

No data available.



## 13. Disposal considerations

Waste disposal of product	Do not discharge product into storm or waste water sewer systems.
Contaminated packaging	Dispose of in accordance with federal, state and local regulations.
Container disposal	Non-hazardous paint container free of paint or debris. Pails may be recycled in accordance with your local recycling and waste management requirements. If construction includes deconstruction and reclamation of plastic construction products, it may be necessary to sort plastics according to designations.

## 14. Transport information

Land transport USDOT	Non-hazardous product. Not regulated.
Marine transport IMDG	Non-hazardous product. Not regulated.
Air transport IATA	Non-hazardous product. Not regulated.

### 15. Regulatory information

EU Regulations (EC) No. 1907/2006 (REACH) Annex XIV – List of substances subject to authorization Substances of very high concern	None of the components are listed.
Additional safety, health and environmental regulations	Not applicable.

## 16. Other information

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200 and follows Global Harmonized System (GHS) guidance.

#### **Preparation information**

SDS revision date	June 2023
Prepared by	Albi Protective Coatings
Disclaimer	Albi Protective Coatings cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information given is presented in good faith and believed to be correct as of the date hereof, based on available data, material components, and similar materials.